www.indotrans.in

Indotrans®

IS 2494 (Part 1)

CM/L-8392386

INDUSTRIAL & AGRICULTURAL POLYESTER CORD NEOPRENE JACKET V-BELTS

MAKE IN INDIA

PRICE LIST effective from 15.06.2019

Rec. min pulley dia.	Belt length factor (mm)		
	Lp to La	Li to Lp	Li to La
71 dp (mm)	14.0	36.0	50.0

Normal Length (inches) : Inside length (LI)

A

Size	Pitch Length in MM	Rate Rs.
A-18	493	159
A-19	519	164
A-20	544	167
A-21	569	167
A-22	595	168
A-23	620	170
A-24	646	173
A-25	671	175
A-26	696	175
A-27	722	178
A-28	747	182
A-29	773	184
A-30	798	187
A-31	823	201
A-32	849	202
A-33	874	206
A-34	900	208
A-35	925	219
A-36	950	223
A-37	976	225
A-38	1001	227
A-39	1027	234
A-40	1052	237
A-41	1077	237
A-42	1103	240
A-43	1128	248
A-44	1154	251
A-45	1179	255
A-46	1204	262
A-47	1230	266
A-48	1255	266
A-49	1281	272
A-50	1306	273
A-51	1331	275
A-52	1357	279
A-53	1382	279
A-54	1408	281
A-55	1433	285
A-56	1458	286
A-57	1484	292
A-58	1509	295
A-59	1535	295
A-60	1560	303
A-61	1585	314
A-62	1611	316
A-63	1636	320
A-64	1662	320
A-65	1687	337
A-66	1712	343
A-67	1738	345
A-68	176	355
A-69	1789	362
A-70	1814	363
A-71	1839	367
A-72	1865	370
A-73	1890	376
A-74	1916	378
A-75	1941	380
A-76	1966	386
A-77	1992	398
A-78	2017	404
A-79	2043	407
A-80	2068	419
A-81	2093	427
A-82	2119	428
A-83	2144	429
A-84	2170	433
A-85	2195	442
A-86	2220	465
A-87	2246	465
A-88	2271	474
A-89	2297	489
A-90	2322	504
A-91	2347	510
A-92	2373	523
A-93	2398	526
A-94	2424	532
A-95	2449	534
A-96	2474	540
A-97	2500	546
A-98	2525	551
A-99	2551	559
A-100	2576	569
A-102	2627	574
A-105	2703	595
A-107	2754	607
A-108	2779	612
A-110	2830	626
A-112	2881	640
A-116	2982	676
A-120	3084	694
A-124	3186	718
A-130	3338	767
A-136	3490	795
A-140	3592	810
A-144	3694	825
A-160	4100	907
A-180	4608	1005
A-210	5370	1170

Rec. min pulley dia.	Belt length factor (mm)		
	Lp to La	Li to Lp	Li to La
112 dp (mm)	26.0	43.0	69.0

Normal Length (inches) : Inside length (LI)

B



Size	Pitch Length in MM	Rate Rs.
B-18	500	213
B-20	551	218
B-21	576	226
B-22	602	226
B-23	627	230
B-24	653	236
B-25	678	240
B-26	703	240
B-27	729	240
B-28	754	241
B-29	780	246
B-30	805	258
B-31	830	272
B-32	856	273
B-33	881	274
B-34	907	275
B-35	932	278
B-36	957	279
B-37	983	280
B-38	1008	281
B-39	1034	282
B-40	1059	288
B-41	1084	296
B-42	1110	296
B-43	1135	305
B-44	1161	305
B-45	1186	311
B-46	1211	325
B-47	1237	325
B-48	1262	331
B-49	1288	343
B-50	1313	346
B-51	1338	350
B-52	1364	357
B-53	1389	359
B-54	1415	364
B-55	1440	379
B-56	1465	381
B-57	1491	387
B-58	1516	391
B-59	1542	394
B-60	1567	398
B-61	1592	401
B-62	1618	403
B-63	1643	411
B-64	1669	416
B-65	1694	451
B-66	1719	464
B-67	1745	470
B-68	1770	472
B-69	1796	481
B-70	1821	484
B-71	1846	494
B-72	1872	495
B-73	1897	504
B-74	1923	510
B-75	1948	514
B-76	1973	516
B-77	1999	528
B-78	2024	528
B-79	2050	536
B-80	2075	538
B-81	2100	564
B-82	2126	577
B-83	2151	582
B-84	2177	590
B-85	2202	596
B-86	2227	635
B-87	2253	648
B-88	2278	654
B-90	2329	669
B-92	2380	717
B-94	2431	740
B-95	2456	751
B-98	2532	768
B-100	2583	779
B-102	2634	800
B-104	2685	807

B



Size	Pitch Length in MM	Rate Rs.
B-105	2710	820
B-106	2735	824
B-107	2761	836
B-108	2786	840
B-110	2837	868
B-112	2888	890
B-115	2964	927
B-116	2989	929
B-118	3040	943
B-120	3091	960
B-122	3142	978
B-124	3193	984
B-126	3243	990
B-128	3294	998
B-130	3345	1034
B-132	3396	1045
B-136	3497	1073
B-140	3599	1118
B-142	3650	1141
B-144	3701	1165
B-145	3726	1172
B-146	3751	1175
B-148	3802	1193
B-150	3853	1216
B-152	3929	1243
B-154	3955	1258
B-156	4005	1271
B-160	4107	1297
B-165	4234	1322
B-168	4310	1356
B-170	4361	1359
B-172	4412	1377
B-175	4488	1397
B-178	4564	1400
B-180	4615	1410
B-185	4742	1470
B-190	4869	1495
B-195	4996	1555
B-200	5123	1595
B-205	5250	1648
B-210	5377	1665
B-215	5504	1708
B-220	5631	1738
B-230	5885	1820
B-238	6088	1882
B-268	6850	2110
B-280	7155	2210
B-300	7663	2378
B-310	7917	2390
B-330	8425	2615
B-440	11219	3391
B-478	12184	3694
B-512	13048	4008
B-538	13708	4150

Rec. min pulley dia.	Belt length factor (mm)		
	Lp to La	Li to Lp	Li to La
180 dp (mm)	32.0	56.0	88.0

Normal Length (inches) : Inside length (LI)

C

Size	Pitch Length in MM	Rate Rs.
C-36	970	434
C-37	996	437
C-38	1021	438
C-39	1047	438
C-40	1072	458
C-41	1097	463
C-42	1123	467
C-43	1148	474
C-44	1174	477
C-45	1199	487
C-46	1224	504
C-47	1250	513
C-48	1275	515
C-49	1301	521
C-50	1326	530
C-51	1351	535
C-52	1377	539
C-53	1402	542
C-54	1428	547
C-55	1453	556
C-56	1478	574
C-57	1504	578
C-58	1529	584
C-59	1555	598
C-60	1580	605
C-61	1605	617
C-62	1631	626
C-63	1656	634
C-64	1682	648
C-65	1707	681
C-66	1732	700
C-67	1758	716
C-68	1783	718
C-69	1809	733
C-70	1834	739
C-71	1859	740
C-72	1885	741
C-73	1910	754
C-74	1936	761
C-75	1961	768
C-76	1986	774
C-77	2012	786
C-78	2037	794
C-79	2063	810
C-80	2088	822
C-81	2113	855
C-82	2139	861
C-83	2164	876
C-84	2190	885
C-85	2215	894
C-86	2240	902
C-87	2266	910
C-88	2291	926
C-89	2317	959
C-90	2342	1010
C-91	2367	1028
C-92	2393	1040
C-93	2418	1077
C-94	2444	1086
C-95	2469	1105
C-96	2494	1128
C-97	2520	1134
C-98	2545	1144
C-99	2571	1163
C-100	2596	1193
C-101	2621	1208
C-102	2647	1218
C-103	2672	1235
C-104	2698	1248
C-105	2723	1263
C-106	2748	1282
C-107	2774	1298
C-108	2799	1308
C-109	2825	1334
C-110	2850	1345
C-111	2875	1358
C-112	2901	1374
C-113	2926	1400
C-114	2952	1406
C-115	2977	1412
C-116	3002	1412
C-117	3028	1416
C-118	3053	1428
C-119	3079	1434
C-120	3104	1435
C-122	3155	1436
C-124	3206	1458
C-125	3231	1466
C-126	3256	1475
C-128	3307	1508
C-130	3358	1537
C-132	3409	1561
C-134	3460	1597
C-135	3485	1605
C-136	3510	1620
C-138	3561	1644
C-140	3612	1661
C-142	3663	1688
C-144	3714	1691
C-145	3739	1706
C-146	3764	1709
C-148	3815	1726
C-150	3866	1726
C-152	3917	1740
C-154	3968	1758
C-156	4018	1760
C-158	4069	1764
C-160	4120	1785
C-162	4171	1796
C-164	4222	1805
C-165	4247	1809
C-168	4323	1823
C-170	4374	1830
C-172	4425	1855
C-173	4450	1867
C-174	4476	1874
C-175	4501	1875
C-176	4526	1885
C-178	4577	1909
C-180	4628	1929
C-185	4755	1987
C-190	4882	2039
C-192	4933	2060
C-195	5009	2092
C-196	5034	2106
C-200	5136	2162
C-204	5238	2204
C-205	5263	2214
C-210	5390	2272
C-215	5517	2315
C-220	5644	2384
C-225	5771	2420
C-228	5847	2457
C-230	5898	2468
C-235	6025	2532
C-238	6101	2574
C-240	6152	2462
C-245	6279	2676
C-248	6355	2714
C-250	6406	2722
C-255	6533	2777
C-258	6609	2782
C-260	6660	2802
C-268	6863	2928
C-280	7168	3016
C-285	7295	3118
C-290	7422	3178
C-298	7625	3257
C-328	8387	3586
C-358	9149	4076
C-380	9708	4447
C-410	10470	4945
C-424	10826	4986
C-464	11842	5566

Rec. min pulley dia.	Belt length factor (mm)		
	Lp to La	Li to Lp	Li to La
355 dp (mm)	40.0	79.0	119.0

Normal Length (inches) : Inside length (LI)

D



Size	Pitch Length in MM	Rate Rs.
D-85	2247	1998
D-90	2365	2043
D-95	2492	2091
D-100	2619	2226
D-105	2746	2231
D-110	2878	2331
D-112	2924	2372
D-114	2975	2417
D-115	3000	2435
D-116	3025	2450
D-118	3076	2469
D-120	3127	2475
D-122	3178	2586
D-124	3229	2597

Size	Pitch Length in MM	Rate Rs.	Size	Pitch Length in MM	Rate Rs.	Size	Pitch Length in MM	Rate Rs.	Size	Pitch Length in MM	Rate Rs.
D-126	3279	2635	D-168	4346	3463	D-225	5794	4828	D-298	7648	6592
D-128	3330	2658	D-172	4448	3563	D-230	5921	4953	D-300	7699	6606
D-130	3381	2664	D-173	4473	3573	D-238	6124	5201	D-314	8055	6792
D-132	3432	2792	D-175	4524	3611	D-240	6175	5213	D-328	8410	7086
D-134	3483	2835	D-180	4651	3701	D-250	6429	5421	D-340	8715	7390
D-136	3533	2843	D-185	4778	3817	D-255	6556	5544	D-350	8969	7599
D-140	3635	2864	D-190	4905	4025	D-260	6683	5662	D-358	9172	7750
D-144	3737	2954	D-195	5032	4139	D-268	6886	5896	D-390	9985	9386
D-150	3889	3111	D-204	5261	4357	D-270	6937	5919	D-418	10696	9961
D-158	4092	3332	D-210	5413	4505	D-280	7191	6118	D-450	11509	10843
D-160	4143	3347	D-215	5540	4620	D-285	7318	6246	D-478	12220	11500
D-162	4194	3353	D-220	5667	4722	D-290	7445	6327	D-540	13795	14542

Rec. min pulley dia.	Belt length factor (mm)		
	Lp to La	Li to Lp	Li to La
500 dp (mm)	53.0	92.0	145.0

Normal Length (inches) : Inside length (LI)

E

Size	Pitch Length in MM	Rate Rs.	Size	Pitch Length in MM	Rate Rs.	Size	Pitch Length in MM	Rate Rs.	Size	Pitch Length in MM	Rate Rs.
E-180	4664	7052	E-238	6137	9419	E-328	8423	13056	E-478	12233	18890
E-195	5045	7656	E-268	6899	10683	E-358	9185	14232	E-500	12792	19828
			E-280	7204	11162	E-394	10100	16069	E-551	14087	21959
			E-298	7661	11863	E-418	10709	16728	E-598	15281	23221

Rec. min pulley dia.	Belt length factor (mm)		
	Lp to La	Li to Lp	Li to La
50 dp (mm)	16.0	22.0	38.0

Normal Length (inches) : middle two nos.=Outside length (LA)

FHP



Size	Rate	Size	Rate	Size	Rate	Size	Rate	Size	Rate	Size	Rate
FHP 2170	78	FHP 2245	98	FHP 2310	105	FHP 2370	112	FHP 2430	136	FHP 2510	144
FHP 2180	89	FHP 2250	98	FHP 2320	107	FHP 2375	117	FHP 2440	136	FHP 2520	144
FHP 2190	92	FHP 2260	98	FHP 2330	107	FHP 2380	118	FHP 2450	138	FHP 2530	144
FHP 2200	96	FHP 2270	102	FHP 2334	107	FHP 2390	126	FHP 2460	138	FHP 2540	144
FHP 2210	96	FHP 2275	102	FHP 2340	108	FHP 2395	127	FHP 2475	141	FHP 2550	147
FHP 2220	96	FHP 2280	102	FHP 2350	108	FHP 2400	127	FHP 2480	143	FHP 2580	147
FHP 2230	96	FHP 2290	104	FHP 2355	111	FHP 2410	127	FHP 2490	143	FHP 2595	150
FHP 2240	98	FHP 2300	104	FHP 2360	111	FHP 2420	134	FHP 2500	144	FHP 2664	150

Rec. min pulley dia.	Belt length factor (mm)		
	Lp to La	Li to Lp	Li to La
63 dp (mm)	13.0	37.0	50.0

Normal Length (in mm) : Pitch length (LP)

SPZ



Size	Rate	Size	Rate	Size	Rate	Size	Rate	Size	Rate	Size	Rate
SPZ 00630	179	SPZ 00940	229	SPZ 01140	270	SPZ 01420	329	SPZ 01900	426	SPZ 02540	561
SPZ 00670	185	SPZ 00950	229	SPZ 01180	279	SPZ 01470	341	SPZ 02000	445	SPZ 02650	577
SPZ 00710	189	SPZ 01000	243	SPZ 01200	285	SPZ 01500	347	SPZ 02030	451	SPZ 02680	583
SPZ 00750	193	SPZ 01010	244	SPZ 01250	292	SPZ 01520	348	SPZ 02120	468	SPZ 02800	606
SPZ 00760	196	SPZ 01060	254	SPZ 01270	296	SPZ 01560	356	SPZ 02160	477	SPZ 02840	609
SPZ 00800	204	SPZ 01080	258	SPZ 01320	309	SPZ 01600	364	SPZ 02240	493	SPZ 03000	644
SPZ 00825	208	SPZ 01120	265	SPZ 01340	310	SPZ 01650	374	SPZ 02280	501	SPZ 03150	677
SPZ 00850	215	SPZ 01125	268	SPZ 01350	318	SPZ 01700	383	SPZ 02360	517	SPZ 03170	682
				SPZ 01358	318	SPZ 01800	406	SPZ 02410	532	SPZ 03350	719
				SPZ 01400	323	SPZ 01850	413	SPZ 02500	546	SPZ 03550	763

Rec. min pulley dia.	Belt length factor (mm)		
	Lp to La	Li to Lp	Li to La
90 dp (mm)	18.0	45.0	63.0

Normal Length (in mm) : Pitch length (LP)

SPA



Size	Rate	Size	Rate	Size	Rate	Size	Rate	Size	Rate	Size	Rate
SPA 00800	301	SPA 01000	344	SPA 01250	414	SPA 01700	534	SPA 02180	668	SPA 02720	811
SPA 00825	308	SPA 01015	346	SPA 01280	422	SPA 01750	548	SPA 02200	671	SPA 02800	831
SPA 00850	315	SPA 01030	348	SPA 01320	431	SPA 01800	561	SPA 02240	684	SPA 02900	857
SPA 00875	319	SPA 01060	355	SPA 01360	446	SPA 01850	578	SPA 02280	692	SPA 03000	887
SPA 00900	323	SPA 01090	365	SPA 01400	455	SPA 01900	586	SPA 02300	698	SPA 03150	927
SPA 00925	329	SPA 01120	372	SPA 01450	468	SPA 01925	596	SPA 02360	712	SPA 03350	983
SPA 00950	332	SPA 01150	384	SPA 01500	482	SPA 01950	604	SPA 02460	743	SPA 03550	1038
SPA 00975	337	SPA 01180	393	SPA 01550	502	SPA 02000	619	SPA 02500	753	SPA 03750	1100
				SPA 01565	511	SPA 02060	633	SPA 02580	769	SPA 04000	1178
				SPA 01600	510	SPA 02120	652	SPA 02650	791	SPA 04250	1254
										SPA 04500	1325

SPB

Rec. min pulley dia.	Belt length factor (mm)		
	Lp to La	Li to Lp	Li to La
140 dp (mm)	28.0	60.0	88.0

Normal Length (in mm) : Pitch length (LP)

Size	Rate	Size	Rate	Size	Rate	Size	Rate	Size	Rate
SPB 01250	531	SPB 01550	636	SPB 02120	900	SPB 02680	1150	SPB 03800	1655	SPB 05300	2323
SPB 01260	532	SPB 01600	656	SPB 02150	921	SPB 02800	1206	SPB 04000	1749	SPB 05380	2356
SPB 01320	559	SPB 01700	678	SPB 02240	962	SPB 02840	1226	SPB 04060	1781	SPB 05600	2453
SPB 01340	566	SPB 01800	724	SPB 02280	976	SPB 03000	1293	SPB 04250	1871	SPB 06000	2629
SPB 01400	593	SPB 01900	767	SPB 02360	1010	SPB 03150	1370	SPB 04310	1894	SPB 06300	2760
SPB 01410	595	SPB 02000	809	SPB 02410	1033	SPB 03170	1376	SPB 04500	1975	SPB 06700	2946
SPB 01500	610	SPB 02020	857	SPB 02500	1070	SPB 03350	1455	SPB 04560	2003	SPB 07100	3118
				SPB 02530	1087	SPB 03550	1541	SPB 04750	2086	SPB 07500	3293
				SPB 02650	1140	SPB 03750	1631	SPB 05000	2189	SPB 08000	3516

SPC



Rec. min pulley dia.	Belt length factor (mm)		
	Lp to La	Li to Lp	Li to La
224 dp (mm)	30.0	83.0	113.0

Normal Length (in mm) : Pitch length (LP)

Size	Rate	Size	Rate	Size	Rate	Size	Rate	Size	Rate
SPC 02000	1394	SPC 02650	1847	SPC 03550	2473	SPC 05000	3485	SPC 06700	4679	SPC 09500	6634
SPC 02120	1479	SPC 02800	1950	SPC 03750	2612	SPC 05300	3695	SPC 07100	4956	SPC 10000	6989
SPC 02240	1559	SPC 03000	2091	SPC 04000	2789	SPC 05480	3818	SPC 07500	5227	SPC 10600	7410
SPC 02360	1643	SPC 03150	2195	SPC 04250	2959	SPC 05600	3906	SPC 08000	5588	SPC 11200	7827
SPC 02500	1742	SPC 03350	2333	SPC 04500	3134	SPC 06000	4185	SPC 08500	5934	SPC 11800	8248
				SPC 04750	3310	SPC 06300	4395	SPC 09000	6283	SPC 12500	8742

3V



Rec. min pulley dia.	Belt length factor (mm)		
	Lp to La	Li to Lp	Li to La
63 de (mm)	13.0	37.0	50.0

Normal Length (inches) : Belt No./10=Outside length (LA)

Size	Rate	Size	Rate	Size	Rate	Size	Rate	Size	Rate
3V 195	152	3V 320	233	3V 400	277	3V 530	361	3V 750	471	3V 1120	688
3V 250	194	3V 330	237	3V 420	293	3V 560	373	3V 800	509	3V 1180	715
3V 270	207	3V 350	261	3V 450	313	3V 575	382	3V 850	538	3V 1200	720
3V 280	214	3V 360	262	3V 470	321	3V 600	393	3V 900	561	3V 1320	802
3V 300	230	3V 370	262	3V 480	321	3V 630	413	3V 950	592	3V 1400	839
3V 315	233	3V 380	268	3V 500	332	3V 670	431	3V 1000	625	3V 1500	902
				3V 510	342	3V 710	461	3V 1060	651	3V 1600	973
										3V 1660	1010

5V



Rec. min pulley dia.	Belt length factor (mm)		
	Lp to La	Li to Lp	Li to La
140 de (mm)	25.0	60.0	85.0

Normal Length (inches) : Belt No./10=Outside length (LA)

Size	Rate	Size	Rate	Size	Rate	Size	Rate	Size	Rate
5V 480	583	5V 710	865	5V 950	1158	5V 1400	1727	5V 2120	2639	5V 3000	3736
5V 500	594	5V 750	902	5V 1000	1217	5V 1500	1843	5V 2240	2764	5V 3150	3937
5V 530	641	5V 800	978	5V 1060	1302	5V 1600	1996	5V 2360	2930	5V 3350	4175
5V 600	717	5V 850	1030	5V 1120	1373	5V 1700	2115	5V 2500	3122	5V 3450	4306
5V 630	756	5V 900	1095	5V 1180	1445	5V 1800	2242	5V 2650	3314	5V 3750	4672
				5V 1250	1539	5V 1900	2347	5V 2800	3498		
				5V 1320	1619	5V 2000	2489				

8V



Rec. min pulley dia.	Belt length factor (mm)		
	Lp to La	Li to Lp	Li to La
335 de (mm)	53.0	92.0	145.0

Normal Length (inches) : Belt No./10=Outside length (LA)

Size	Rate	Size	Rate	Size	Rate	Size	Rate	Size	Rate	Size	Rate
8V 900	3097	8V 1180	4047	8V 1600	5483	8V 2240	7678	8V 3150	10327	8V 4500	15410
8V 1000	3436	8V 1250	4295	8V 1700	5820	8V 2360	8098	8V 3350	11471	8V 4750	16262
8V 1060	3627	8V 1400	4804	8V 1800	6169	8V 2500	8574	8V 3550	12346	8V 5000	17121
8V 1120	3848	8V 1500	5139	8V 1900	6515	8V 2650	9081	8V 3750	12838	8V 6640	22735
				8V 2000	6854	8V 2800	9597	8V 4000	13694		
				8V 2120	7267	8V 3000	10285	8V 4250	14559		

Terms & Conditions

1. Prices are exclusive of Goods and Service Tax (GST) at the time of billing & the prices are ex-factory.
2. Prices are subject to change without notice.
3. Prevailing prices at the time of delivery apply.
4. All disputes are subject to Jaipur (Rajasthan) jurisdiction only.
5. Intermediate size can be manufactured on request. Pricing will be on pro-rata basis provided MOQ ordered as prescribed by the Company.

Authorised Dealer